

**Batch Handheld
Retail Application**

pssMOBILEstore Application Suite

**Radio Frequency
Handheld Retail
Application**



Retail Back Office

pssMOBILEstore brings the complete capabilities of in-store data collection to the mobile environment. Receiving, transfers, inventory, RTVs, and cycle counts are all at your fingertips. Complete support of re-ticketing for markdowns, markups, and return goods, along with in-store generation of shipping labels,

customer IDs, coupons, and gift registry list, can now be performed at the point of interaction rather than where the computer sits.

pssMOBILEstore is a complete standalone application providing a touch screen environment for shipping, receiving, CRM, product identification and review, and all manners of inventory control. **pssMOBILEstore** is also capable of interfacing to your existing POS and able to support your current PLU.

The broadband of business criteria considered in the development of **pssMOBILEstore**, when combined with the “best of breed” handheld products forms a complete solution. This truly makes **pssMOBILEstore** a multifunction workhorse designed to increase productivity and profit throughout the retail supply chain.

Retail Back Office	Distribution Center
Bar Codes and Markdowns Store-to-Store Transfer Receiving Inventory Control	Item ID Routing Cross Docking Point-to-Point Transfer Receiving Inventory Control

**Batch Handheld
Retail Application**

pssMOBILEstore Application Suite

**Radio Frequency
Handheld Retail
Application**

pssMOBILEstore is available as both an RF terminal application and complimentary PC based server suite as well as a batch application suite.

User accessible parameters and a real time implementation infrastructure allow for the application to change as the user requirements change.

pssMOBILEstore provides up to 30 discrete transactions accessible via preset keys and menu options. It provides a single device that can be used all day from warehouse to back room to selling floor. In RF mode, **pssMOBILEstore** provides real time RF access to data lookup files, validation tables, and dynamic TLOG. It supports a user optional offline mode with auto upload for operation outside of the RF range. In batch mode, **pssMOBILEstore** provides for multiple lookup files, communication, data conversion, and data storage tools.

pssMOBILEstore operates on the Monarch Pathfinder Ultra Platinum Printer. Specifications are:

Dimensions: Height – 10.35” (263 mm) Width – 9.2” (233 mm) Depth – 3.5” (89 mm) Weight – 2.25 lbs. (1 kg) Shipping Wt. – 5.86 lbs. (2.66 kg)	Bar Code Types: UPCA +2/+5, UPCE +2/+5, EAN8 +2/+5, EAN13 +2/+5, Interleaved 2 of 5, Code 1, Codabar (NW7), Code 128, Code 39, MSI, PDF417
Printing Method: Thermal Direct	Standard Fonts: Standard, TrueType & International
Keypad Display: 17 keys (inc. on/off) alpha/numeric supported, Color touch screen display – 1/4 VGA, 240X320 pixels	Battery Cycle Life: Approximately 300 full discharge cycles. Many factors effect an individual battery’s performance.
Memory: 32MB RAM, 64 MB Flash Optional 256 or 512 meg SD memory card	Recommended Duty Cycle: 33% Duty Cycle for continuous printing (5 minutes out of 15 minutes time intervals). On demand or intermittent printing has no restrictions.
Operating System: Microsoft Windows CE .NET Version 5	Power Source: 7.4V Lithium Ion Battery Pack, 3V Lithium Coin Cell
Communications: USB and serial ports Optional Symbol or Generic 802.11b compact flash radio card	Operating Temperature: 40 – 100 degrees F (4 – 43 degrees C)